

# Welcome!

6.1820/MAS.453: Mobile and Sensor Computing  
aka IoT Systems

<https://6mobile.github.io/>

## Lecture 3: Indoor Localization

### Course Staff

#### Lecturers

Fadel Adib ([fadel@mit.edu](mailto:fadel@mit.edu))

Tara Boroushaki ([tarab@mit.edu](mailto:tarab@mit.edu))

#### TAs

Waleed Akbar ([wakbar@mit.edu](mailto:wakbar@mit.edu))

Jack Rademacher ([jradema@mit.edu](mailto:jradema@mit.edu))

### Announcements

- 1- Did you join Slack & introduce yourself?
- 2- Lab 0 due Thursday (i.e., checkoff in OH within 1wk)
- 3- Lab 1 & PSet 1 out
- 4- Macs distributed today for those who asked
- 5- OH posted
- 6- #teamformation channel


# This Week in IoT

## Creating smart buildings with privacy-first sensors

Butlr, founded by former Media Lab researchers, uses insights from thermal sensors to make buildings safe and efficient.

Zach Winn | MIT News

February 11, 2025



- How would you such a thermal sensing system?
- What's new here? thermal sensors have been around for a long time?
- Advantages/disadvantages of thermal vs wireless (radio) vs cameras?
- What are some applications?

# Practical Indoor Wireless Positioning Systems


- RADAR [Infocom 2000]
- Cricket [2000]

# Paper 1: RADAR [INFOCOM '00]


## Why are we reading this paper?

- First paper to propose using wireless LANs for indoor location estimation
- Measurement-based / analysis paper (not a system)
- Key pioneering idea: fingerprinting / pattern matching

- Database
- Different orientations



# Signal strength at the base stations as user walks



# Approach


- Summarize signal strength samples at base stations
- Metric for determining best match
- Determine “best match”

# Approach

- Summarize signal strength samples at base stations
  - Mean signal strength over a time window
- Determine “best match”
  - Empirical method
  - Signal propagation model
- Metric for determining best match
  - Nearest neighbor in signal space, i.e., Euclidean distance between  $ss'$  and  $ss$  vectors




# Evaluation



- Critique the evaluation
- Is it reasonable to evaluate the accuracy on 1 out of 70 points, treating the other 69 as “known”?
- What happens when they have only 40 points in the signal database (see paper)?

# Averaging multiple nearest neighbors




Why does the graph look like this?

1. On the right, too many far-away neighbors
2. Would weighted averaging work better?

# Paper 2: Cricket [MobiCom '00]


A general-purpose indoor location system for mobile and sensor computing applications




# Cricket Design Goals

- Must work well indoors
- Must scale to large numbers of devices
- Should not violate user location privacy – location-support rather than track
- Must be easy to deploy and administer
- Should have low energy consumption

# Cricket Architecture




Passive listeners + active beacons scales well,  
helps preserve user privacy  
Decentralized, self-configuring network of  
autonomous beacons



SPACE = NE43-510  
COORD = (146 272 0)

Obtain linear distance estimates  
Pick nearest to infer “space”  
Solve for device’ s (x, y, z)  
Determine  $\theta$  w.r.t. each beacon and deduce  
orientation vector

# Determining Distance




- A beacon transmits an RF and an ultrasonic signal simultaneously

- RF carries location data, ultrasound is a narrow pulse

- The listener measures the time gap between the receipt of RF and ultrasonic (US) signals

- Velocity of US  $\ll$  velocity of RF

# Multiple Beacons Cause Complications



- Beacon transmissions are uncoordinated

- Ultrasonic pulses reflect off walls

These make the correlation problem hard and can lead to incorrect distance estimates

Solution: Beacon interference avoidance + listener interference detection



# Choosing the bitrate of transmission

- How long should the packet be?
  - $\tau$ : 2 x ultra-sound longest TOF
  - packet size:  $S$  bits
  - $\text{bitrate} < S/\tau$
  - “Long radio”
- Other proposal for dealing with interference?

# Localization Schemes

- How to localize?
  - majority (pick beacon with highest freq of occurrence)
  - minmean (pick beacon with smallest mean distance)
  - minmode (pick beacon with smallest mode distance)
- Other proposals?
- Intrinsic Challenges?
- Extending to orientation?

# Objectives of the Three Lectures Series

Learn the fundamentals, applications, and implications of **wireless localization and sensing**

1. What are the unifying principles of wireless positioning? ✓
2. How do practical systems like GPS, WiFi positioning, Bluetooth positioning work? ✓
3. What is **wireless (aka WiFi) sensing**? **next lecture**
4. What are the industry opportunities and societal implications of wireless sensing (today and in the near+far future)?

1) Lab 0 Due Thursday at midnight (i.e., checkoff in OH in 1wk)

**TODO:** 2) Lab 1 and Pset 1 out

3) Survey for feedback on class soon